
INSTRUCTIONS FOR INSTALLATION AND USE

Ceiling Fan Model Cosmos (FN71132)

BEFORE YOU START

Proper use:

- This product is intended exclusively for non-commercial use as ceiling fan.
- The product has to be installed and used in accordance with these instructions.
- Any use of this product that is not in accordance with these instructions will void the legal warranty of the manufacturer.

Please keep the original carton and packaging material as the warranty will only be honored if product is returned in complete original packaging.

FOR YOUR OWN SAFETY

General safety instructions:

- For the safe use of this product, you need to have read and understood these instructions before installing or using the product.
- Please follow all safety instructions! If you ignore these safety instructions, you will endanger yourself and others.
- Keep these instructions for future reference.
- All parts of this product have to be installed properly in order to ensure safe operation.
- Modification of the product and use of non-approved parts are prohibited.
- This product is not intended for use by persons (including children) with reduced physical, sensory or mental capabilities, or lack of experience and knowledge, unless they have been given supervision or instruction concerning the use of the product by a person responsible for their safety. Children should be supervised to ensure that they do not play with the product.

Electrical safety:

- The electrical installation must be performed by a qualified electrician and must be in accordance with national and local regulations.
- Use a fault-current circuit breaker with a rated residual current of no more than 30 mA.
- Make sure to install an all-pole disconnection switch having a contact separation of at least 3mm between poles in the supply wiring to the ceiling fan.
- Before connecting the appliance to the electrical grid, make sure that it will only be operated within the specified parameters.
- The fan must be properly grounded to avoid the risk of electric shocks.
- Switch off the power before connecting, repairing or cleaning the fan.
- Install only bulbs of the type intended for your fan.

Storage and transport:


- Always store the fan in a dry environment.
- Protect the fan from damages during transport.

Safety instructions specific to this fan:

- Attach the fan only directly to the ceiling structure.
- The carrying capacity of the ceiling structure from which the fan is hung must be at least three times the weight of the fan.
- The minimum distance between the blades of the fan and the floor must be 2.3m.
- Never mount the fan outside or in a humid or wet environment. The fan can not be installed within proximity of water (e.g. bath tub, swimming pool, water connection).
- The fan can only be installed horizontally on the ceiling.
- Install only bulbs of the type intended for your fan.
- Switch off the power before connecting, repairing or cleaning the fan.
- The rotor area has to be kept clear of any objects at all times.
- Be careful when working near the rotating blades.

FAN OVERVIEW

1. Motor housing
2. Fan blades
3. Canopy
4. Fan light housing
5. Glass shade



UNPACK THE FAN

- Unpack the fan and check that contents of are complete.
- Dispose of packaging – see also “Disposal”.


Contents of packaging:

Instructions for installation and use	Screws
Mounting bracket	Spring washers
Motor housing	Flat washers
Fan blades	Transmitter for remote control
Fan light housing	Receiver for remote control
Glass shade	

Note: In case of damaged or missing parts, please contact your retailer.

INSTALLATION


Risk of electric shock: Switch off the electricity using the switch at the circuit breaker box before installing the fan.
Risk of electric shock: The electrical installation must be performed by a qualified electrician and must be in accordance with national and local regulations.
Risk of injury: In case you need to drill holes for mounting the fan, make sure that the drills have sufficient distance to in-ceiling wiring.




1. Pass the supply wires through the hole in the mounting bracket. Secure the mounting bracket to a ceiling joist or other structural ceiling element with two screws, spring washers and flat washers. Ensure that the support for the mounting bracket is capable of safely holding the moving weight of the fan.



2. Hang the fan assembly with the ball joint onto the mounting bracket. Make sure the guide pin of the bracket is fitted into the corresponding slot of the ball joint. You should feel the guide pin setting into the slot of the ball joint.




3. Install the remote control receiver in the bracket as shown. Make sure that you do not trap any wires.




4. Make wire connections. Follow diagram on the left and make sure that all exposed wires are tightened by screw on terminal block.

Note:


- a.) The terminal block shown in left graph is pre-installed on the mounting bracket.
- b.) Wires from house may vary in color and may not include ground wire (yellow/green). After wiring is completed, gently push wires into junction box with terminal block upward (if applicable).
- c.) Do not cut the gray sensor wire in any situation.



5. Tuck all wires and the antenna into the canopy. Push the canopy upwards, lining up the keyholes on the bottom with the screws on the hanger bracket. Twist the Canopy to lock it in place, then tighten the screws to secure it. Attach the decorative cap up to the canopy to cover the screws.



6. Install the fan blades onto the motor by tightening the screws and washers evenly.




7. Connect the black wire to the black wire by connectors. Connect the blue wire to the blue wire by connectors. Connect the green wire to the green wire by connectors.



8. Attach the fan light housing to the mounting plate on the fan housing by using the three fixing screws. Ensure that you do not trap any wires.



9. Install proper lamps to the sockets (E14, max. 40W, not included). Caution: To avoid risk of fire, make sure the installed lamps do not touch the reflective cover of the fan light housing. Slightly adjust the sockets if necessary. Depending on type of lamp used, please select the correct setting on remote control (button 6, see below).



10. Install the glass shade onto the fan light housing using three set screws and plastic washers. Check to make sure the screws securing the glass shade are finger tight, but not over-tightened.

OPERATING THE FAN

Check the fan before switching it on!

Risk of injury: The fan can only be operated if no defects have been found upon inspection. In case a part is defective, it will have to be replaced before using the fan.

Risk of injury: Before changing the fan rotating direction, the fan has to be switched off and come to a complete stop.

Check that the fan is in safe operating condition:

- Check to make sure that there are no visible defects.
- Verify that all parts are properly installed and fastened.

Remote control

Install one 12 volt battery (type 23AE, not included) to the remote control.

Buttons:

- 1- Fan speed control: controls the ceiling fan speed (I for the lowest speed, VI for the fastest speed)
- 2- Fan OFF: turns the fan off
- 3- Reverse function: controls fan direction
- 4- Lighting control: adjusts the intensity of the light (if applicable, depending on bulb).

5- CODE setting: using method as below

Step 1: Finish the installation of the ceiling fan.


Step 2: Turn the power on for the ceiling fan and within 60 seconds, press and hold SET button on back of remote control for 5 seconds. The light of the ceiling fan flashes twice when setup is completed.

Step 3: After setup is completed, switch to the desired speed. The fan will run on the highest and lowest speed first, and will then turn to the selected speed automatically.

6- Light setting: selects On/Off or Dimming function for light

<D> On/Off function without dimming (required for energy saving lamps [CFL]).

<ON> Dimming function enabled (for tungsten lamps; not compatible with energy saving lamps [CFL]).



Note: After changing the blades, the CODE setting has to be performed again.

Note: The receiver provides protection in the following two situations:

1- Lock protection: The receiver has a built-in protection against obstruction during operation. The motor will be locked and the power will be disconnected after 30 seconds of obstruction. Please remove obstacles before restarting. To reset, turn off the power supply to the fan motor, then restart.

2- Power surge protection: If the receiver detects a power consumption of the motor greater than 80W, the power supply will be interrupted and operation will immediately stop. To reset, turn off the power supply to the fan motor, then restart (after 5 seconds).

CLEANING

Risk of injury: Before cleaning the fan, always switch off the power at the main circuit breaker and wait until the fan has come to a complete stop.

Clean the fan with a dry or damp soft cloth. Do not use any liquids or detergents.

DISPOSAL

Disposal of the fan: You are required to dispose of electric and electronic appliances separately from your household waste. Please inquire at your municipality regarding proper ways of disposal.

By separately disposing of your electric and electronic appliances, you are participating in recycling and you are helping to prevent potentially toxic substances from polluting the environment.

Disposal of the packaging: The packaging consists of cardboard and marked plastic and Styrofoam which can be recycled. Please recycle.

MALFUNCTIONS – TROUBLE SHOOTING

Risk of injury: Inappropriate repairs can lead to the fan not functioning safely. This can cause a hazard for yourself and your environment.

Most malfunctions are caused by small errors which you can easily resolve by yourself. Please check the following table before contacting your retailer. This way, you can spare yourself a lot of effort and cost.

Malfunction	Underlying cause (error)	Solution
Fan does not turn.	Fan switched off?	Switch on fan.
	No mains voltage?	Check circuit breaker.
	Batteries of remote control empty?	Install new batteries.
Fan vibrates.	Fan not installed properly?	Install fan thoroughly according to installation instructions.
Light does not work.	Lamp defective?	Exchange lamp.

If you can not resolve the malfunction yourself, please ask your retailer directly.

Please note that the warranty will be voided by inappropriate repairs.

TECHNICAL DATA

Speed	Voltage	Power	RPM
VI	230V ~ / 50Hz	32W	185
V		20W	155
IV		13W	122
III		8W	92
II		5W	31
I		3W	30

MANUFACTURER

Vaxcel International Co., Ltd.

121 E North Avenue, Carol Stream, IL, USA

www.vaxcel.com